

# PRODUCT CATALOG

**GENERAC®**



Home Standby Generators | Transfer Switches | Portable Generators | Inverters | Portable Power Stations | Pressure Washers  
Water Pumps | Business & Rental | Accessories | Clean Energy

**26kW**  
HOME STANDBY  
GENERATOR



Product shown with optional fascia accessory

# GENERAC HOME STANDBY GENERATORS

**Always ready to go, a home standby generator is there to protect you and your family.**

Now with LP tank monitoring  
(with purchase of LTE tank  
monitor accessory  
and subscription)



## Mobile Link™



For more information please visit  
[www.mobilelinkgen.com](http://www.mobilelinkgen.com)

**LP TANK MONITORING NOW AVAILABLE  
IN FLEET AND MOBILE LINK!**

### MOBILE LINK™ WI-FI CONNECTIVITY

Free with every Guardian Series home standby generator, Mobile Link Wi-Fi allows you to monitor the status of your generator from anywhere in the world using a smartphone, tablet, or PC. Easily access information, such as the current operating status and maintenance alerts. Connect your account to your authorized service dealer for fast, friendly and proactive service. With Mobile Link, you are taken care of before the next power outage.



### 5-YEAR LIMITED WARRANTY

Free with all automatic home standby generators.



### ENGINEERED AND BUILT IN THE USA\*

Generac generators and engines are engineered and built in the USA.



### 24/7 CUSTOMER SUPPORT

Standing by all day, every day from our headquarters in Wisconsin to answer any questions you might have.

### OTHER HOME STANDBY GENERATORS

	10/9kW	14/14kW	18/17kW	22/19.5kW	24/21kW	26kW
<b>Model Number</b>	7171	7223	7226	7042	7209	7290
<b>Engine</b>	Generac G-Force					
<b>Engine Displacement</b>	460cc	816cc		999cc		999cc
<b>Wi-Fi Enabled</b>	Yes					
<b>Quiet-Test Mode</b>	Yes					
<b>db(A) at Exercise</b>	57	55		57		57
<b>db(A) at Normal Operating Load</b>	61	65		67		67

\*Assembled in the USA using domestic and foreign parts.

## RESIDENTIAL TRANSFER SWITCHES

Providing flexible solutions that ensure you get to cover exactly what is needed.

### WHOLE HOME COVERAGE WITH LOAD MANGEMENT

Designed with whole home coverage in mind, this outdoor enclosure and service entrance rated switch has built in load management using the Smart AC Module.

RXSW100A3: 100A, RXSW150A3: 100A, RXSW200A3: 200A, RTSW300A3: 300A, RTSW400A3: 400A, RXSW100A3CUL: 100A, RXSW200A3CU: 200A

### INTEGRATED METER

Combining the meter socket and the automatic transfer switch, this service entrance rated design is an all-in-one switch that makes new construction or upgrades easy!

RXUW150A3: 150A, RXUW200A3: 200A, RBU150A3: 150A, RBU200A3: 200A, RXGUW200A3: 200A

### ESSENTIAL CIRCUIT COVERAGE

Outdoor installation made easy, featuring the 16 circuit load center, this NEMA 3R switch is perfect for when only the necessities are required.

RXG16EZA3: 85A, 16 Circuits

Generac offers a full line of residential transfer switches to meet any need when paired with our home standby generators.



## TX SERIES TRANSFER SWITCHES

### ABOUT TX SERIES

New to the Generac industrial transfer switch line is the TX Series. The TX Series switches are both Generac designed and built in house with exceptional features that meet, and exceed, any application needs.

These transfer switches have some of the highest withstand and closing ratings (WCR) with optional 3 cycle ratings available. In addition, these switches offer no PPE needed for controller use, firmware updates, or data downloads when the enclosure door is installed.

TX: 100AMP - 1000AMP







POWERRUSH™

GENERAC

COsense™

GP3200E

EMERGENCY SWITCH OFF/ON  
8000 11000  
120V 20A  
120V 30A  
120V 50A  
120V 60A  
120V 70A  
120V 80A  
120V 90A  
120V 100A  
120V 110A  
120V 120A  
120V 130A  
120V 140A  
120V 150A  
120V 160A  
120V 170A  
120V 180A  
120V 190A  
120V 200A

# GENERAC PORTABLE GENERATORS



Designed and built for the demands of emergency home backup power.

## XT8500EFI PORTABLE GENERATOR



### ELECTRONIC FUEL INJECTION TECHNOLOGY

Automotive technology allows for easy and reliable starting.



### TRUEPOWER™ TECHNOLOGY

Provides clean, smooth operation of sensitive electronics, tools and appliances

## OTHER PORTABLE GENERATORS



### STOPS. ALERTS. SAVES.

Co-Sense technology provides powerful protection from hazardous carbon monoxide.



### 3-YEAR LIMITED WARRANTY

Free with all portable generators.



### POWERRUSH™ ADVANCED TECHNOLOGY

Delivers over 30% more starting capacity allowing you to do more with less.\*



	GP3600	GP6500	GP6500E	GP8000E
<b>Model Number</b>	7677	7680	7682	7675
<b>Electric Start</b>	No		Yes	
<b>Running/Starting Watts</b>	3600/4500	6500/8125		8000/10000
<b>Co-Sense Technology</b>	No	Yes	No	Yes
<b>PowerRush Advanced Technology</b>	Yes			
<b>Run Time (at 50% load)</b>	9.3 hours	10.5 hours		11 hours

\*Increases electrical current upon demand above rated output when starting electric motors.





**GENERAC**

GENERAC

22500

# GENERAC INVERTERS

At home or on the job site,  
a portable inverter generator  
will make sure you have  
power when you need it.



**iQ3500**  
PORTABLE INVERTER  
GENERATOR

## QUIETER.\* SMARTER. BEATS HONDA.



**ULTRA QUIET –  
40% QUIETER  
THAN HONDA\***

Advanced inverter technology and enclosure design provide optimal quiet performance.



**PARALLEL READY**

With an optional Parallel Kit, you can connect two portable inverter generators together for twice the power when you need it.



**ECONOMY MODE**

Automatically adjusts engine speeds to save fuel and reduce sound emissions.

**OTHER PORTABLE  
INVERTER  
GENERATORS**



	GP2500i	GP3300i	GP3500iO	iQ3500
<b>Model Number</b>	8250	7154	7128	7127
<b>Run Volume</b>		Quiet		Ultra Quiet*
<b>Starting Method</b>		Recoil/Pull Start		Electric Start/Recoil
<b>PowerRush Advanced Technology</b>	No	Yes		
<b>Run Time (at 50% load)</b>	4.5 hours	4.5 hours	8 hours	8.9 hours
<b>Parallel Kit Number</b>	7118	7668		

\*Over 5 dB(A) quieter than the eu3000is, based on independent third-party testing.





**GENERAC**

PARALLEL  
PORTS

+

100%  
AC DC

DISPLAY

120V 1800W

USB-C

ON / OFF

USB-A

12V 10A



# GENERAC PORTABLE POWER STATIONS

Portable power with you  
wherever you go.



**GB1000**  
PORTABLE POWER STATION

**GB1000 & GB2000 FEATURES**

- **Clean, Emission-Free, Portable Power:** Take it with you wherever you go, indoors or out.
- **Versatile Fast Recharging:** Recharge from 0-80% in 2.1 hours from a wall outlet (GB1000). Also supports input from solar, car and generator. Combine charging methods for even faster recharge times.
- **Compact, Durable Design:** Lightweight and easy to use with durable enclosure, ergonomic handle, and on-board storage.
- **Wireless Charging Pad:** 15W wireless charging for compatible devices.
- **Large Multi-Color 4.7" Display:** View charge level, remaining runtime and other key info at-a-glance.
- **Fast Solar Charging With Built-In MPPT Controller:** No controller accessory needed. Solar panels sold separately.



	GB1000	GB2000
<b>Model Number</b>	G0080250	G0080260
<b>AC Output</b>	120VAC (1600W / 3200W surge)	
<b>USB-A (x2)</b>	5VDC (15.5W max each)	
<b>USB-C (x2)</b>	5-20VDC (65W max each)	
<b>Wireless Charger</b>	15W max	
<b>AC Wall Charger Input</b>	120VAC 60Hz (450W max)	
<b>DC/Solar Charger Input</b>	10-28VDC 30A (468W max)	
<b>Battery Capacity</b>	1086Wh (Li-ion NMC)	2106Wh (Li-ion NMC)
<b>Battery Cycle Life</b>	800 cycles to 80% capacity	1000 cycles to 80% capacity





# GENERAC PRESSURE WASHERS

Whether you're washing the driveway or prepping your home for a painting job, you need the right tool.



**3100 PSI**  
ELECTRIC START  
PRESSURE WASHER



**ELECTRIC START**

Electric one-touch push start with auto-choke provides reliable, hassle-free startups.



**ERGONOMIC SPRAY GUN**

Cushion grip extends use. Easy-to-pull trigger reduces fatigue.



**GENERAC OHV® ENGINE**

Delivers maximum cleaning performance and reliability.

**OTHER PRESSURE WASHERS**



	2900 PSI	3100 PSI	3200 PSI	3600 PSI
<b>Model Number</b>	8908	8911	8912	6924
<b>Gallons Per Minute (GPM)</b>	2.3	2.5	2.7	2.6
<b>Electric Start</b>	No	Yes	No	No
<b>Accessories Included</b>	None	None	Power Broom, Soap Blaster, Turbo Blaster	None
<b>Detergent Tank</b>	1/2 gallon			
<b>Quick-Change Nozzle Tips</b>	0°, 25°, 40°, Soap			0°, 15°, 25°, 40°, Soap
<b>Spray Gun</b>	Ergonomic		PowerDial	Profession Grade Ergonomic
<b>Warranty</b>	2 Year Limited		3 Year Limited	





**ST20K** **GENERAC**  
2" / 158 GPM  
SEMI-TRASH WATER PUMP



# GENERAC WATER PUMPS



Our water pumps are designed to offer the most reliable water removal solution for homeowners, construction crews, and more.

## 2" TRASH WATER PUMP



### 5-HOUR RUN TIME

Large 3 gallon steel fuel tank with incorporated fuel gauge provides up to 5 hours run time.



### POWERFUL PUMP

Easily pumps up to 158 gallons per minute and solids up to 1".



### EASY PRIME

Custom funnel design for quick & easy priming.

### OTHER WATER PUMPS



	CW10K	CW20	ST20K	T20S	XC300P
<b>Model Number</b>	6917	6918	6822	6920	7725
<b>Engine</b>	Generac OHV			Generac G-Force	
<b>Run Time</b>	Up to 1 hour	Up to 2 hours	Up to 5 hours		Up to 4.3 hours
<b>Max Solids (in.)</b>	—		1/4"	1"	1.2"
<b>Hose Kit</b>	Yes	No	Yes	No	No
<b>Max Head Discharge (ft.)</b>	100'	108'		98'	90'
<b>Max Suction Lift (ft.)</b>			25'		
<b>Suction Port (in.)</b>	1"	2"		3"	



## **XC 4200 PSI PRESSURE WASHER**

MODEL #G008873

### **GENERAC G-FORCE ENGINE**

Delivers maximum cleaning performance and reliability

### **3-WHEEL DESIGN**

Moves with you around the jobsite to prevent downtime

### **DURABILITY**

Commercial Grade Direct Drive CAT Triplex Pump. Up to 4x longer life than axial cam pumps.



## **3800 PSI BELT-DRIVEN PRESSURE WASHER**

MODEL #6712

### **PRO GRADE ERGONOMIC SPRAY GUN**

The easy-to-pull trigger on the spray gun is ideal for longer jobs. This gun was designed for reduced fatigue and optimal comfort.

### **BELT DRIVE TRIPLEX PUMP**

The heavy-duty belt drive triplex pump lasts three times as long as direct drive pumps. This ensures the unit is a reliable choice for whenever you need to pressure wash.



## **3" TRASH PUMP**

MODEL #G007725

### **POWERFUL FOR FAST WATER REMOVAL**

This 3" trash pump operates at a rate of 185 gallons of water per minute and can pass solids up to 1" in size. From a small water leak to a massive water emergency, this pump gets the job done.

### **DURABLE DESIGN**

This pump has a durable design suitable for any environment. It features a silicon carbide seal, cast iron volute, and impeller.



## MDG25

DIESEL GENERATOR



### DEEP SEA CONTROLLER

Power Zone provides ultimate control of your generator, with detailed status screens, safety monitoring and alarms and programmability - including remote start.

### SUPERSTART®

The MMG35 comes standard with our powerful SUPERSTART alternator for enhanced motor-starting capability.

### JOHN DEERE® ENGINE

Designed to resist wet-stacking, John Deere FT4 diesel engines include an exhaust temperature management (ETM) system that monitors temperatures and provides supplemental heat when necessary.



## PLT240

LIGHT TOWER

### DURABLE GENERAC® LEDs

All LED light towers feature our robust LED fixtures, designed to last the life of the tower, warranted for 5 years.

### POWER ZONE® CONTROLLER

Reduce labor and fuel costs with Power Zone light tower controller. Features include programmable auto start and stop and a dusk-to-dawn sensor.

More Generac Mobile products available on [GeneracMobileProducts.com](http://GeneracMobileProducts.com) including Heaters, Pumps, and more.



## INDUSTRIAL GENERATORS

25kW TO 3.25MW+ SOLUTIONS WITH  
EXTENDED PARALLELING OPTIONS AVAILABLE

### DEMAND RESPONSE READY

Certified for both US EPA Stationary Emergency Standby and US EPA Non-Emergency for Demand Response applications.

### POWER ZONE PRO SYNC CONTROLLER

Power Zone Pro Sync is the first controller to market with the ability to connect to your industrial generator by the use of Wi-Fi, Bluetooth, and cellular connection. Controller has an intuitive 7" touchscreen for ease of use and ease of readability. Connect with Wi-Fi, Bluetooth, or cellular anywhere, anytime.



## BUSINESS GENERATORS

22kW-150kW SOLUTIONS AVAILABLE

### RELIABLE BACKUP POWER

Automatic backup power ensures your small business will never be without power.

### TRUEPOWER™ TECHNOLOGY

Delivers best-in-class power quality with less than 5% total harmonic distortion (THD) for clean, smooth operation of sensitive electronics and appliances.

*\* Only for select kW models*

### SMALL FOOTPRINT

May be installed just 18 inches\* away from a structure, ideal for areas with tight lot lines.





## MOBILE LINK™ WIFI & CELLULAR MONITORING SYSTEM

Mobile Link connects you to your generator from anywhere you are. Access information such as the current operating status, maintenance schedule, fuel level and more directly from your smartphone, tablet, or computer.  
*Compatible with most 2010 and newer Generac air-cooled and liquid cooled standby generators*



## PARALLEL KITS FOR PORTABLE INVERTER GENERATORS

With an optional Parallel Kit, you can connect two portable inverter generators together for twice the power when needed.  
*Compatible with GPI/iQ portable inverter generators.*



## MAINTENANCE KITS FOR HOME STANDBY GENERATORS

Scheduled maintenance is a necessity. Our kits offer all the components necessary to perform maintenance on our home standby generators.  
*Compatible with home standby generators from 7.5kW-26kW.*



## MAINTENANCE KITS FOR PORTABLE GENERATORS

Scheduled maintenance is a necessity. Our kits offer all the components necessary to perform maintenance on our portable generators.  
*Maintenance kits available for XC/GP Portable Generators.*



## 30 AND 50 FT. HOSES FOR PRESSURE WASHERS

For your convenience, Generac offers a variety of specifically designed hoses for use with pressure washers.  
*Compatible with most pressure washers.*



## TURBO NOZZLE PRESSURE WASHER NOZZLE

Generac offers a variety of nozzles with quick-change connectors designed for a seamless transition between cleaning projects.  
*Compatible with most pressure washers.*



## SMART MANAGEMENT MODULES

G0070001 50 AMP, SMM  
G070061 100 AMP, SMM



## SURGE PROTECTION DEVICE

G0073000 SPD

The only fully integrated solar + battery storage system offering whole home power and true energy independence. All from Generac.



### PWRcell Battery

- Battery Cabinet – APKE00028
- 3.0 kWh DCB Battery Module – G0080040
- 3.0 kWh EX Battery Module – G0080005

### PWRcell Inverter

- 7.6 kW Single-phase – XVT076A03
- 11.4 kW Three-phase – XVT114G03

### PWRcell ATS

- 100 A Service Rated – CXSW100A301
- 200 A Service Rated – CXSW200A301
- 100 A Non-Service Rated – CXSC100A301

### Load Management

- PWRmanager – G0080090
- 50 A Smart Management Module – G0070001
- 100 A Smart Management Module – G0070060

### PWRgenerator

- 9 kW DC PWRgenerator – G00080050



PWRcell now features AC Coupling to allow for retrofits to most existing solar arrays and integration with Generac Generators



The PWRview mobile app deliver real-time system feedback, control, performance, and cost-savings data

	M3	M4	M5	M6
<b>Battery Modules</b>	3	4	5	6
<b>Usable Energy<sup>1</sup></b>	9kWh	12kWh	15kWh	18kWh
<b>Nominal Cont. AC Power<sup>1,2</sup></b>	3.4kW	4.5kW	5.6kW	6.7kW
<b>Max AC Power<sup>1,3</sup></b>	4.5kW	6kW	7.5kW	9kW
<b>Nominal Cont. DC (Charge/Discharge) - A</b>	11.6	15.5	19.4	23.3
<b>Peak Motor Starting Current (2-Sec) -A, RMS</b>	25	33	42	50
<b>Comptaible Battery Modules<sup>4</sup></b>	Generac PWRcell EX 3.0kWh, Generac PWRcell DCB 3.0kWh, Generac PWRcell DCB 2.85kWh			
<b>Nominal Voltage</b>	380 VDC			
<b>DC-DC Round-Trip Efficiency</b>	96.5%			

<sup>1</sup>Assumes use of 3.0kWh battery module. | <sup>2</sup>Average AC power over a complete discharge cycle. | <sup>3</sup>Values provided for 40°C (104°F). | <sup>4</sup>All PWRcell battery models used in a PWRcell Battery Cabinet must be the same model. Do NOT combine module SKUs in a single battery cabinet. | Note: Charge/discharge rate may be reduced at temperature extremes







**GENERAC®**

[WWW.GENERAC.COM](http://WWW.GENERAC.COM)

Generac Power Systems, Inc.  
S45 W29290 Hwy. 59  
Waukesha, WI 53189  
1-888-GENERAC (1-888-436-3722)

©2022 Generac Power Systems, Inc. All rights reserved.  
Specifications are subject to change without notice.